

Enriched with our native starch **Beauté By Roquette® ST 005** for its exceptional properties of sebum absorption, this talc-free powder with warm golden reflections, glides on the skin like a veil of softness and provides an optimal comfort. The complexion is sublimated, tanned and bright as after a beautiful sunny day.

	INCI NAME	COMMERCIAL NAME (SUPPLIER)	% W/W
PHASE A	CI 77491	Unipure Red LC 381 (Sensient Cosmetic Technologies)	1.70
	CI 77492	Unipure Yellow LC 182 (Sensient Cosmetic Technologies)	2.00
	CI 77499	Unipure Black LC 989 (Sensient Cosmetic Technologies)	0.30
	CI 77891	Unipure White LC 987 (Sensient Cosmetic Technologies)	6.00
	CI 75470 (and) CI 77891 (and) Mica	Covapearl pure carmine 438 (Sensient Cosmetic Technologies)	0.20
	Mica (and) Titanium Dioxide (and) CI 77491	KTZ Aruban coral (Kobo Products)	0.30
	Mica (and) Titanium Dioxide (and) CI 77491 (and) Carmine	KTZ Apricot (Kobo Products)	0.60
	Mica (and) Titanium Dioxide (and) CI 77491	KTZ Sunburst Gold (Kobo Products)	0.60
	Mica (and) Titanium Dioxide	KTZ Ultra shimmer (Kobo Products)	0.30
	Mica	Submica FL (Sensient Cosmetic Technologies)	28.00
	Silica	Silica (Kobo Products)	16.00
	Zea (mays) starch	Beauté by Roquette® ST 005	35.00
	Caprylic/Capric Triglyceride	DUB MCT (Stéarinerie Dubois)	8.50
Phenoxyethanol (and) Chlorphenesin (and) Glycerin	Microcare PHC (Thor)	0.50	

Process

1. Grind together all components of phase A

ASPECT	Golden bronze loose powder
pH	NA
VISCOSITY	NA
STABILITY	1 month at 50°C and 3 months at room temperature and 40°C